


Did you know?

Your body is almost 70% water?

The earth we live on is over 70% water?

Less than 1% of the Earth's water is available for humans to drink?

It's true! Our bodies are mostly water, and we need 64 ounces of fresh water everyday. We would die without water. The same is true for most living things. That is why clean water is so important. Although the Earth has lots of water, most of it (97%) is in the oceans, which is not safe for humans to drink. Another 2% is frozen in the polar icecaps. That means only 1% of the Earth's water is available for humans, and cows, and dogs, and trees, and all living things.



New water is never created, it just gets recycled – a process known as the water cycle. The water you drink today will be used again and again for years to come. That is why it is important to keep the water clean and free of pollution.

There are many things you and your family can do to help protect the water. Here are just a few ideas:

- Properly dispose of household wastes
- Reduce consumption of water
- Recycle to reduce the volume of trash that ends up in landfills - a source of contamination
- Reduce fertilizer and pesticide use on lawns
- Limit the use of toxic products. Keep them away from storm sewers, lakes and streams, and never dump them onto the ground
- Homeowners should have their septic systems checked regularly to be sure it is functioning properly, since this can be a source of harmful nutrients and bacteria.

This booklet talks about a water quality study in Van Wert County, Ohio. Read on for more information!

TABLE OF CONTENTS

	Page
Questions and Answers	
Introduction.....	1
Objective and Methods	3
Map - collection sites in county	4
Data Presentation and Ways to Help.....	5
Town Creek	
Nutrient Data.....	6
Pesticide Data.....	11
Municipal Water Supplies	
Convoy.....	12
Delphos	13
Middle Point.....	14
Ohio City.....	15
Van Wert.....	16
Willshire	17
Summary	17
Township Wells	
Harrison	18
Hoaglin.....	19
Jackson.....	20
Jennings	21
Liberty.....	22
Pleasant	23
Ridge	24
Tully.....	25
Union	26
Washington	27
Willshire.....	28
York	29
Summary	30
E. Coli Results	31
Appendices	
Chemical Information (Use, HALs and MCLs).....	36
Rainfall Information.....	37
Town Creek Nutrient Data.....	45



Who is responsible for the water quality study?

This study was initiated by the County Foundation following some concerns about pesticides in drinking water. The Foundation approached the Soil and Water Conservation District (SWCD) and a partnership was formed, where the Foundation provides funds for the study and the SWCD is responsible for collection, data summary, reporting and presenting the information. The tests are now sent to Brookside Laboratories in New Knoxville, Ohio to determine results.

When did the study begin?

The study was initiated in June of 1989. It has been a learning process for all involved and some things were changed following the initial sampling rounds. In January of 1990 nutrient monitoring was added to the study and the sampling procedure has remained the same since that time. This booklet focuses on the data collected from 1990 to 2010.

What is Van Wert County like?

Van Wert County is located in northwest Ohio, extending 21 miles in a north-south direction and 24 miles in an east-west direction, encompassing 409 square miles (261,760 acres). Van Wert County is home to 28,496 people, of which about 11,000 reside within the city of Van Wert.

The residents and industries in the City of Van Wert use an average of 1.4 million gallons of water per day, all of which originates from Town Creek. The water is pumped from Town Creek into three earth embankment reservoirs. The reservoirs are located at the south edge of the city, just east of US 127. The first reservoir was constructed in 1949, and has a capacity of 380 million gallons. The second one was built in 1964, and then expanded for more capacity in 2007 holding a total of 650 gallons.



Town Creek has a watershed of approximately 52.6 square miles within Van Wert County. It starts in the southwest part of Van Wert County and flows into Paulding County where it soon joins Maddox Creek to form Middle Branch Creek -- a tributary to the Little Auglaize River. Eventually this water flows into Lake Erie.

Land use in Van Wert County is primarily agriculture. Ninety five percent of the land is in agriculture and other open areas, 3% is in forest, and 1% is in urban developments. Typical agriculture management is cash grain farming with a corn-soybean rotation. Little livestock is found in the county.

The soils in Van Wert County originate from Wisconsin Age glacial material. The area north of Lincoln Highway is part of a glacial lakebed. These soils are high in clay, poorly drained and nearly level to depression. A narrow beach ridge with sandier soils runs along the south edge of the lake deposits, coinciding with the location of Lincoln Highway. Areas south of Lincoln Highway are a bit more sloping, high in clay, and like the rest of the county require artificial drainage to increase crop yields.

In 1949 a project was undertaken to reduce flooding potential in Van Wert County. The streams within the Little Auglaize River Watershed were reconstructed (widened, deepened, and straightened) to increase capacity and flow of water. Mitigation efforts included placing rock dams at ¼ mile intervals and preserving a few oxbows. Town Creek was part of this project, with construction of the entire Little Auglaize River Watershed completed in 1998.

What is being tested for? Why?



This study focuses on nitrogen (nitrates), phosphorus and pesticides. Nitrogen and phosphorus occur naturally in the environment, but human activities (fertilization of crops and lawns, disposal of human and animal waste) can cause elevated levels. High nitrate levels can interfere with the body's use of oxygen, a condition known as blue baby syndrome. Young children and pregnant women are especially sensitive to high nitrate levels. Phosphorus is required for plant growth and is usually in short supply in lakes and streams in the Midwestern United States. Addition of phosphorus to water can cause excess algae growth or blooms. Although algae is not a serious problem, the decomposition of algae consumes the oxygen essential for fish. If too much phosphorus is added to a stream or lake it may result in a fish kill.

There are many different kinds of pesticides that may be used to control weeds or insects. Pesticides are used in both rural and urban areas. Farmers may use these chemicals to control weeds or insects in their crops, while people living in the city use similar chemicals in their gardens and lawns. Every chemical is tested for potential health effects prior to its sale, and some pesticides have been associated with cancer or birth defects in laboratory studies. From this information the Environmental Protection Agency (EPA) may establish a health advisory level (HAL). The HAL is a concentration that does not pose a direct threat to human health, and includes a margin of safety. Not all chemicals have a HAL, and many of the current levels are under review. The EPA may also establish a maximum contaminant level (MCL). This is the maximum permissible level of a contaminant in water that is delivered to the public. Contaminant levels found in the County's drinking water supplies (municipalities and wells) are compared to the MCL.

Where do these pollutants come from?

Today most of the pollution entering water sources is non-point, or from an indefinable source. For example, nitrogen is widely used in agriculture and may be present in runoff and tile leachate. A specific source of nitrogen loading may be impossible to locate, therefore it is called a non-point source pollutant (NPSP). Phosphorus is another nutrient that enters the water via runoff and classified as a NPSP. Pesticides may enter the water via runoff and leaching, or by improper application and disposal.

Urban areas can also be a significant source of nutrient and pesticide enrichment. Homeowners in these areas can reduce the potential for water quality impairment by decreasing the amount of fertilizers and pesticides applied to lawns. Proper disposal methods for hazardous materials should always be used to avoid contamination of local water resources.

Pollutants also come from human and animal waste. Most cities have a wastewater treatment plant to treat the water before it goes back into a stream. If this is not designed correctly or not working properly it can be a source of harmful pollution. Rural homeowners often have a septic system to treat their waste. Unfortunately, the soils in Van Wert County are not suited for septic systems and most do not function correctly. Agencies and government in Van Wert County are currently addressing this issue.

Are nutrients and pesticides the primary polluters of surface water?

Although this study focuses on nutrient and pesticides in water, the biggest threat to water quality in this nation is sediment. Erosion from agricultural fields and urban construction sites sends soil particles into local rivers and streams. The particles make the water cloudy, can suffocate fish, and carry other pollutants like nutrients and pesticides with them. Other threats to water quality in Ohio include pathogens, organic enrichment, metals, salinity, and habitat and flow alteration.



What is the objective of this study?

The first objective is to obtain information on the quality of surface water in Van Wert County. This is done by monitoring nitrogen and phosphorus levels in Town Creek each month. Town Creek is also tested twice yearly (June and November) for approximately 27 pesticides.

The second objective is to obtain information on the quality of drinking (ground) water in Van Wert County. Once each year (June), one well in each township is tested for nitrates and five pesticides. Samples from six municipalities (Convoy, Delphos, Middle Point, Ohio City, Van Wert and Willshire) are also tested for nitrates and five pesticides at this time.

How the study is conducted:

- See the map on the next page for sampling locations.
- Samples are collected by District personnel and analyzed by A&L Great Lakes Laboratories in Fort Wayne, Indiana.
- Nitrate and phosphorus analysis are conducted on three samples from Town Creek (at locations TC2, TC3, TC4) every month.
- Pesticide screening (MR1)* is performed on three sites of Town Creek (TC1, TC2, TC3) in June and November.
- Pesticide (HS1)** and nitrate screening of township wells and municipalities are done in June.
- Starting in 2001, E. coli samples are tested from the township samples every June. Town creek is sampled every June and November. All streams entering Paulding County are tested quarterly.

*MR1 pesticides: (brand names are given in parentheses)

Alachlor (Lasso)	Metribuzin (Lexone/Sencore)	Carbofuran (Furadan)
Acetochlor (Harness)	Pebulate	Ethyl Chlorpyrifos
Atrazine	Pebulate	Diazinon
Butylate (Sutan)	Pendimethalin (Prowl)	Ethyl Parathion
Clomazone (Command)	Prometon (Pramitol)	Fonofos (Dyfonate)
Cyanazine (Bladex)	Propachlor	Isofenphos
EPTC (Eptam)	Propazine	Malathion
Ethalfuralin (Sonolan)	Simazine (Princep)	Methyl Parathion
Fluchloralin	Trifluralin (Treflan)	Terbufos (Counter)
Metolachlor (Dual)	Vernolate	

**HS1 herbicides


Alachlor (Lasso)	Metolachlor (Dual)	Propazine
Atrazine	Propachlor	Simazine (Princep)

More information on these chemicals can be found in the Appendix.

A note about the sampling procedure

Chemical analysis on grab samples defines the water quality at the instant the water sample is taken. Because water systems are very dynamic, grab samples do not provide a good indication of overall water quality. Composite or flow weighted samples could overcome this problem; however equipment and analysis costs would increase beyond the scope of this study. This shortcoming may be compensated for by the extended period of the study – the longer monitoring continues the more validity the data will have.

VAN WERT COUNTY – SAMPLING LOCATIONS FOR THE WATER QUALITY STUDY





QUESTIONS AND ANSWERS ABOUT THE WATER QUALITY STUDY – DATA PRESENTATION AND WAYS TO HELP

How is the information presented?

The data are presented in tables and graphs on the following pages. The numbers represent a concentration. Some common ways to express concentration include units like parts per million (ppm) and parts per billion (ppb). These values are hard to imagine, so to illustrate consider a bag of 1 million marbles. If there were 10 red marbles in this bag, then that would equal 10 ppm red marbles. One ppm is also equal to 1 minute in 2 years. Parts per billion is similar except the quantity reported is out of 1 billion total units. Eleven square feet (about the size of a bathtub) in Van Wert County is equal to 1 ppb since there is approximately 11 billion square feet in the county. There is even a parts per trillion – this equals 1 square foot in the state of Indiana.

How is this information being used?

The information is sort of an insurance policy so the people of Van Wert County know the water is safe. It may also be used as background data should any problems be detected in the future. Quarterly reports are submitted to local newspapers, and regular updates have been given on the radio. This booklet is another way to distribute the information gathered. Local schools have each received a copy, as well as many local government offices. Additional copies may be obtained from the Soil and Water Conservation District. It is hoped that the residents of Van Wert are made aware of the water quality issue and the work being done to ensure clean water into the future.

What can be done to reduce pollution of local waters?

Conservation tillage, waterways, cover crops and filter strips can be used in the field to reduce pollution potential. Implementing a filter strip between the edge of the field and the stream will catch most of the sediment and decrease the potential for nutrients and pesticides entering the water. Sediment barriers near construction sites will function the same way.

****In 2010 approximately 79% of crops were either no tilled, fall mulched or strip tilled. Van Wert has a total of 70 acres of waterways constructed, and filter strips continue to be implemented along streams and ditches.**


Another way the agriculture industry has changed to protect the water is the development of low volume pesticides. Many of the new chemicals have directions to use a couple ounces per acre (compare this with a quart per acre used for some older chemicals). This means that less chemical is being applied to the soil, with less likelihood to end up in the water. Many of these chemicals break down very quickly, further decreasing the potential for contamination.



Homeowners need to be aware of potential septic system failures. Due to local soil conditions, the majority of systems fail within the first two years of operation. This results in harmful nutrients and bacteria entering local waters. A properly designed system, regular pumping and periodic inspections to ensure functioning are ways to prevent contamination.


Where can I learn more information about water quality?

If you have any questions about the water quality study, you can contact the Soil and Water Conservation District. They can help explain the information in this book and assist you in your efforts to protect your water.




TOWN CREEK - NUTRIENT DATA

The graph above shows the average nitrogen (nitrogen plus nitrate) concentration the years 1990-1999. Raw data for this graph is presented in the Appendix. The values for nitrogen vary from near zero to greater than 35. It is unclear why the 1990 February value is so high relative to the other readings. This value could be considered an outlier, and not a good indication of overall water quality. The EPA HAL for nitrates is 10ppm. Occasionally the concentration of nitrates in Town Creek exceeded this value, most often in June or July.




TOWN CREEK - NUTRIENT DATA

The graph above show the average nitrogen (nitrogen plus nitrate) concentration the years 2000-2010. Raw data for this graph is presented in the Appendix. The values for nitrogen vary from near zero to greater than 20. It is unclear why the 2001 value is so high relative to the other readings. This value could be considered an outlier, and not a good indication of overall water quality. The EPA HAL for nitrates is 10ppm. Occasionally the concentration of nitrates in Town Creek exceeded this value, but the majority of the time it was within the limit.



TOWN CREEK - NUTRIENT DATA

This graph shows the average phosphorus (ortho-phosphorus) concentration for each sampling period for years 1990-1999. Raw data for this graph is presented in the appendix. Phosphorus concentrations are relatively low with the exception of a few readings exceeding 1.0 ppm. There is no HAL for phosphorus, but excess algae growth is likely at concentrations greater than 1.0 ppm. The December 1990 value is not consistent with other data and is not a good indicator of water quality.



TOWN CREEK - NUTRIENT DATA

This graph shows the average phosphorus (ortho-phosphorus) concentration for each sampling period for years 2000-2010. Raw data for this graph is presented in the appendix. Phosphorus concentrations are relatively low with the exception of a few readings exceeding 1.0 ppm. There is no HAL for phosphorus, but excess algae growth is likely at concentrations greater than 1.0 ppm. The December 2007 value is not consistent with other data and is not a good indicator of water quality.

This table shows the overall average nitrogen (nitrate plus nitrite) and phosphorus (ortho-phosphorus) concentration by month. The values were obtained by averaging all sample results acquired from 1990 to 2010. When the concentration was below the detection limit, a value of zero was used.

Month	Average Nitrogen Concentration (ppm)	Average Phosphorus Concentration (ppm)
January	6.41	0.28
February	7.82	.15
March	6.41	0.15
April	6.84	.16
May	6.38	0.12
June	8.67	.15
July	6.70	0.17
August	3.90	.19
September	3.93	.18
October	4.90	.24
November	4.82	.29
December	12.55	.69

* See discussion of values below.

Nitrogen concentrations were greatest in spring and early summer (March – July). This may be explained by crop management and rainfall patterns at this time of year. Fertilization of agricultural crops is done mostly in the spring (April and May). These fertilizers may enter the water through surface runoff or tile leachate. Additionally, intense rainstorms tend to occur early in the growing season when crop cover is limited, increasing the chance of surface runoff and erosion

The winter months (November – January) exhibit the highest phosphorus concentrations. The biggest limitation to the nutrient monitoring portion of this study is the testing for ortho-phosphorus rather than total phosphorus. Ortho-phosphorus is only a portion of the total phosphorus, and is influenced by biotic activity. Less biotic activity during the winter months may explain the higher values.

To determine the effect rainfall had on nutrient concentration, the amount of rain received 96 hours before sampling was recorded (see the Appendix for rainfall amounts). This value was compared to the nutrient concentrations. High amounts of rain did not always correlate to higher nitrogen and phosphorus concentrations. This may be due to the sampling technique, as grab samples determine the condition of the stream *only* at the instant the sample is collected. Rainfall received more than 96 hours before collecting the sample, soil moisture and soil conditions c

TOWN CREEK – PESTICIDE DATA

Twice a year Town Creek is analyzed for nearly 30 different pesticides. Samples taken in June consistently have one or more pesticides present, while the November samples generally do not have pesticides above detectable levels. Like the nutrient concentrations, this may be explained by the management and rainfall patterns at this time of year.

The table below shows the years and locations that each pesticide was detected (note that 14 of the 28 pesticides have not been detected throughout this study). The graph on the following page displays the June concentrations for the eleven pesticides detected. For ease of reading the graph, November data and the pesticides never detected have been omitted. See the table in the Appendix for specific concentrations.

Pesticide	June Sampling			November Sampling		
	TC1	TC2	TC3	TC1	TC2	TC3
Alachlor	90-92, 94, 97	90, 91, 93, 97	90-92, 97, 98			
Acetochlor		08	08,10			
Atrazine	90-08,10	90-08,10	90-08,10	91	91, 95, 02	91, 95-97
Carbofuran			98			
Chlorpyrifos		90	91	91	91	91
Cyanazine	90-99	90-99	90-99	95		93, 97
Fluchloralin	01	01				
Metolachlor	90-94, 97-99, 01, 02, 04, 06, 08,10	90-99, 01, 02, 04, 06, 08,10	90, 91, 06, 94-99, 01, 02, 04, 08	93, 05,10		
Metribuzin	90, 97, 99, 02	90, 91, 97-99, 04, 07	90-92, 97-99, 04, 08	05	05	96, 05, 06
Pendimethalin		90				
Simazine	97-99, 01	97, 99, 01, 08	97, 99, 01, 08			
Terbufos	99					
Propachlor			06			05, 06
Acetochlor	99		98, 99			
Clomazone		01	01			

Note: Butylate, Diazinon, EPTC, Ethalfluralin, Ethyl Parathion, Fonofos, Isofenphos, Malathion, Methyl Parathion, Pebulate, Propazine, Prometon, Trifluralin and Vernolate have not been detected through this study.

As shown in the table Atrazine, Alachlor, Cyanazine, Metolachlor and Metribuzin are the most commonly detected pesticides. Atrazine, Cyanazine and Metolachlor have been present in at least one of the June samples every year.

Although pesticides have commonly been detected in Town Creek, levels have not exceeded the HALs in the samples analyzed. Perhaps this is a good time to point out that although Town Creek serves as the source of water for Van Wert, no one is (or should be) drinking the water directly from Town Creek. The water goes through a mixing and processing period before it is sent to residential areas. This study also tests the processed water in Van Wert and other municipalities in the county. Continue reading for more details.

MUNICIPAL WATER SUPPLIES

As stated earlier, Town Creek serves as the source of drinking water for Van Wert. The drinking water sources for Convoy, Delphos, Middle Point, and Ohio City are wells. The village of Willshire relied on surface water until 1998 when they switched to groundwater through wells. Every year in June, samples are collected from these municipalities and tested for Nitrates, Atrazine, Alachlor, Metolachlor, Propachlor, Propazine and Simazine.

The tables that follow are arranged by municipality. The value given for pesticide concentrations is in parts per billion and nitrate concentration is in parts per million. N/T indicates that the sample was not analyzed for the compound. A * means that pesticides and nitrates were not present at detectable levels.

Convoy	Atrazine	Alachlor	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	N/T	N/T	*	N/T	*	*	*
1993	0.5	N/T	N/T	*	N/T	*	*	*
1994	*	N/T	N/T	*	N/T	*	*	*
1995	*	*	*	*	*	*	*	*
1996	1.17	1.24	*	*	*	*	*	0.44
1997	*	*	*	N/T	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	N/T	*	*	*	*
2001	*	*	*	N/T	*	*	*	*
2002	*	*	*	N/T	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	0.07
2007	*	*	*	N/T	8.1	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations in Convoy’s water supply from 1990-2010. Samples were collected in June.

Delphos	Atrazine	Alachlor	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	*
1993	*	N/T	N/T	*	N/T	*	*	*
1994	*	N/T	N/T	*	N/T	*	*	*
1995	*	*	*	*	*	*	*	*
1996	*	0.8	*	*	*	*	*	0.5
1997	*	*	*	N/T	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	N/T	*	*	*	*
2001	*	*	*	N/T	*	*	*	*
2002	*	*	*	N/T	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	1.2	*	N/T	*	*	*	*
2008	0.9	*	*	N/T	*	*	*	4.59
2009	0.4	*	*	N/T	*	*	*	3.7
2010	.8	*	*	N/T	*	*	*	5.86

This table includes pesticide and nitrate concentrations in Delphos' water supply from 1990-2010. Samples were collected in June.

Middle Point	Atrazine	Alachlor	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	N/T	N/T	*	N/T	*	*	*
1993	*	N/T	N/T	*	N/T	*	*	*
1994	*	N/T	N/T	*	N/T	*	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.5
1997	*	*	*	N/T	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	N/T	*	*	*	*
2001	*	*	*	N/T	*	*	*	*
2002	*	*	*	N/T	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations in Middle Point's water supply from 1990 to 2010. Samples were collected in June.

Ohio City	Atrazine	Alachlor	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	N/T	N/T	*	N/T	*	*	4.5
1993	*	N/T	N/T	*	N/T	*	*	*
1994	*	N/T	N/T	*	N/T	*	*	*
1995	*	*	*	*	*	*	*	*
1996	0.38	*	*	*	*	*	*	5.32
1997	*	*	*	N/T	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	N/T	*	*	*	*
2001	*	*	*	N/T	*	*	*	*
2002	*	*	*	N/T	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	.06

This table includes pesticide and nitrate concentrations in Ohio City's water supply from 1990 to 2010. Samples were collected in June.

Van Wert	Atrazine	Alachlor	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	0.6	*	*	*	N/T	N/T	*	4.8
1991	0.2	*	*	*	N/T	N/T	*	1.2
1992	*	N/T	N/T	*	N/T	*	*	4.2
1993	1.21	N/T	N/T	*	N/T	*	*	1
1994	1.43	N/T	N/T	*	N/T	*	*	2.1
1995	0.43	*	*	*	*	*	*	5
1996	*	*	*	*	*	*	*	0.5
1997	1.9	*	1.46	N/T	*	*	*	3.2
1998	0.58	*	*	N/T	*	*	*	2.4
1999	0.73	*	*	N/T	*	*	*	3.9
2000	*	*	*	N/T	*	*	*	0.59
2001	0.94	*	0.6	N/T	*	*	*	3.61
2002	0.5	*	*	N/T	*	*	*	1.86
2003	0.71	*	*	N/T	*	*	*	4.99
2004	1.4	*	0.08	N/T	*	*	*	0.35
2005	1.3	*	*	N/T	*	*	*	0.35
2006	2.24	*	*	N/T	*	*	*	2.86
2007	0.6	*	*	N/T	*	*	*	0.46
2008	*	*	*	N/T	*	*	*	2.59
2009	*	*	*	N/T	*	*	*	1.43
2010	*	*	*	N/T	*	*	*	1.02

This table includes pesticide and nitrate concentrations in Van Wert's water supply from 1990 to 2010. Samples were collected in June. Atrazine and nitrate levels regularly exceeded the detectable levels, but have not exceeded the MCL (3.0ppb for Atrazine and 10.0ppm for Nitrates). The increased levels of Atrazine and nitrates in Van Wert's water may be explained by the source of the water, as surface waters tend to be more susceptible to contamination when compared to groundwater sources.

Willshire	Atrazine	Alachlor	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	1.3	*	*	*	N/T	N/T	*	0.7
1991	0.4	*	*	*	N/T	N/T	*	0.2
1992	*	N/T	N/T	*	N/T	*	*	*
1993	1.03	N/T	N/T	*	N/T	*	*	0.3
1994	0.71	N/T	N/T	*	N/T	*	*	*
1995	1.54	*	0.86	*	*	*	*	*
1996	0.39	*	*	*	*	*	*	0.49
1997	1.63	0.68	1.41	N/T	*	*	*	1.3
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	N/T	*	*	*	*
2001	*	*	*	N/T	*	*	*	*
2002	*	*	*	N/T	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations in Willshire’s water supply from 1990 to 2010. Samples were collected in June.

Municipality Summary

Each municipality tested in 1996 had some level of nitrates present. 0.85 inches of rain was received 96 hours before sampling, perhaps introducing nitrates into municipal water supplies. Additionally, the spring of 1996 was relatively wet, with April and May receiving 4.37 and 5.21 inches respectively. Nitrates are subject to leaching, with large amounts of rainfall increasing the leaching potential.

It is also possible that the small nitrate concentrations detected in 1996 are due to laboratory or sampling error. With the exception of Ohio city (concentration of 5.32ppm), all samples had a nitrate concentration between 0.44 and 0.50ppm. Whether these concentrations are true or due to an error, the values are small and not a real concern.

The drinking water made available to county residents through the municipalities tested is safe for consumption by all people. Levels have not exceeded the MCL. Water treatment plants throughout the country take considerable measures to ensure the safety of drinking waters, complying with all EPA regulations.

TOWNSHIP WELLS

In rural areas across the country, wells often serve as the source of drinking water. Wells pump ground water from beneath the surface, making it available to people and livestock. Groundwater usually originates as rainfall that has flowed through the soil into an underground aquifer. Most soils have an inherent ability to filter out any contaminants that may be in the water. However, groundwater is vulnerable to contamination through improper management (handling, application and disposal) of pesticides and nutrients. To assess the quality of groundwater in Van Wert County, one well in each of the twelve townships was tested for nitrates and five pesticides each June.

The following charts are organized by township. The value given for pesticide concentrations is in parts per billion and nitrate concentration is parts per million. N/T indicates that the sample was not analyzed for the compound. A * means that pesticides and nitrates were not present at detectable levels. Italicized values indicate concentrations exceeding the MCL - the maximum permissible level of a contaminant in water that is delivered to any user of a public water system (established by the EPA). Township wells exceeding the MCL should be more of a safety concern than a regulatory concern, as none of the wells tested in this portion of the study are for a public water supply.

This table includes pesticide and nitrate concentrations for a well located in Harrison Township. Samples were collected in June of each year from 1990 to 1999. The only detectable levels occurred in 1996 and 2006 with a small amount of nitrates present. The MCL for nitrates is 10ppm.

Harrison	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	*
1993	*	*	*	*	N/T	N/T	*	*
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.51
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	0.06
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in Hoaglin Township. Samples were collected in June of each year from 1990 to 1999. The only detectable levels occurred in 1991, 1996, and 2001 with small amounts of nitrates present. The MCL for nitrates is 10ppm.

Hoaglin	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	0.6
1992	*	*	*	*	N/T	N/T	*	*
1993	*	*	*	*	N/T	N/T	*	*
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.5
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	*	*	*	*	*
2001	*	1.79	*	*	*	*	*	0.53
2002	*	*	*	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in Jackson Township. Samples were collected in June of each year from 1990 to 1999. The only detectable level occurred in 1996, with a small amount of nitrates present. The MCL for nitrates is 10ppm.

Jackson	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	*
1993	*	*	*	*	N/T	N/T	*	*
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.5
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in Jennings Township. Samples were collected in June of each year from 1990 to 1999. The only detectable levels occurred in 1993, 1996 and 2009, with small amounts of nitrates present. The MCL for nitrates is 10ppm.

Jennings	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	*
1993	*	*	*	*	N/T	N/T	*	0.3
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.51
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	0.9	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	0.2
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in Liberty Township. Samples were collected in June of each year from 1990 to 1999. The only detectable levels occurred in 1992, 1993 and 1996, with small amounts of nitrates present. The MCL for nitrates is 10ppm.

Liberty	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	0.2
1993	*	*	*	*	N/T	N/T	*	0.3
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.52
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in Pleasant Township. Samples were collected in June of each year from 1990 to 1999. The only detectable level occurred in 1996, with a small amount of nitrates present. The MCL for nitrates is 10ppm.

Pleasant	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	*
1993	*	*	*	*	N/T	N/T	*	*
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.52
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	0.3	*
2005	*	*	*	N/T	*	*	*	*
2006	*	3.32	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	7.6	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in Ridge Township. Samples were collected in June of each year from 1990 to 1999. The only detectable levels occurred in 1996 and 1999, with small amounts of nitrates present. The MCL for nitrates is 10ppm.

Ridge	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	*
1993	*	*	*	*	N/T	N/T	*	*
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.51
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	0.21
2000	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in Tully Township. Samples were collected in June of each year from 1990 to 1999. Alachlor was detected in 1990 and nitrates were detected in 1996. The MCL for Alachlor is 2ppb and the MCL for nitrates is 10ppm.

Tully	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	1.3	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	*
1993	*	*	*	*	N/T	N/T	*	*
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.52
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in Union Township. Samples were collected in June of each year from 1990 to 1999. Nitrates were detected in 1996, 1997, 02, 09. The MCL for nitrates is 10ppm. The 1999 and 2001 samples had detectable levels of Atrazine and Simazine. The Atrazine concentration of 3.11ppb exceeds the MCL (3.0ppb), but does not exceed the HAL of 200ppb. The MCL for Simazine is 4ppb, while the HAL for Simazine is 70ppb.

Union	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	*
1993	*	*	*	*	N/T	N/T	*	*
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.73
1997	*	*	*	*	*	*	*	3
1998	*	*	*	N/T	*	*	*	*
1999	*	3.11	*	N/T	*	*	1.85	*
2000	*	*	*	*	*	*	*	*
2001	*	0.26	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	0.2
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	0.22
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in Washington Township. Samples were collected in June of each year from 1990 to 1999. Nitrates were detected in 1990, 1991, 1993, 1996 and 2002. The MCL for nitrates is 10ppm. The 1996 sample also had detectable levels of Atrazine and Alachlor. The Atrazine concentration at 0.45ppb does not exceed the MCL of 3ppb. The Alachlor concentration of 7.35ppb exceeds the MCL of 2ppb, but does not exceed the HAL of 10ppb.

Washington	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	0.4	N/T	N/T	*	0.1
1991	*	*	*	*	N/T	N/T	*	0.3
1992	*	*	*	*	N/T	N/T	*	*
1993	*	*	*	*	N/T	N/T	*	0.5
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	7.35	0.45	*	*	*	*	*	0.49
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	0.24
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in Willshire Township. Samples were collected in June of each year from 1990 to 1999. The only detectable levels occurred in 1990 and 1996, with small amounts of nitrates present. The MCL for nitrates is 10ppm.

Willshire	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	0.1
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	*
1993	*	*	*	*	N/T	N/T	*	*
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.51
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*
2002	*	*	*	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	*
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

This table includes pesticide and nitrate concentrations for a well located in York Township. Samples were collected in June of each year from 1990 to 1999. The only detectable levels occurred in 1992, 1996, and 2006, with small amounts of nitrates present. The MCL for nitrates is 10ppm.

York	Alachlor	Atrazine	Metolachlor	Metribuzin	Propachlor	Propazine	Simazine	Nitrates (ppm)
1990	*	*	*	*	N/T	N/T	*	*
1991	*	*	*	*	N/T	N/T	*	*
1992	*	*	*	*	N/T	N/T	*	0.1
1993	*	*	*	*	N/T	N/T	*	*
1994	*	*	*	*	N/T	N/T	*	*
1995	*	*	*	*	*	*	*	*
1996	*	*	*	*	*	*	*	0.51
1997	*	*	*	*	*	*	*	*
1998	*	*	*	N/T	*	*	*	*
1999	*	*	*	N/T	*	*	*	*
2000	*	*	*	*	*	*	*	*
2001	*	*	*	*	*	*	*	*
2002	*	0.9	12	*	*	*	*	*
2003	*	*	*	N/T	*	*	*	*
2004	*	*	*	N/T	*	*	*	*
2005	*	*	*	N/T	*	*	*	*
2006	*	*	*	N/T	*	*	*	0.07
2007	*	*	*	N/T	*	*	*	*
2008	*	*	*	N/T	*	*	*	*
2009	*	*	*	N/T	*	*	*	*
2010	*	*	*	N/T	*	*	*	*

Township Well Summary

Overall, the water coming from the wells tested is safe for consumption. A few samples tested had levels that may be of concern, but levels exceeding the HALs were not present. Additionally, problems did not persist from one sampling year to the next.

Each township well tested in 1996 had some level of nitrates present. 0.85 inches of rain was received 96 hours before sampling, perhaps causing nitrate movement to local wells. Additionally, the spring of 1996 was relatively wet, with April and May receiving 4.37 and 5.21 inches respectively. Nitrates are subject to leaching, with large amounts of rainfall increasing the leaching potential.

It is also possible that the small nitrate concentrations detected in 1996 are due to laboratory or sampling error. With the exception of Union Township (concentration of 0.73ppm), all samples had a nitrate concentration between 0.49 and 0.52ppm. Whether these concentrations are true or due to an error, the values are small and not a real concern.

As mentioned earlier the soils in Van Wert County have a large capacity to filter out contaminants like pesticides, contributing to the low number of detectable levels in most wells. However, heavy use and improper storage, application and disposal can contribute to groundwater contamination. Care should always be used when working with these chemicals.

E. Coli Tests

In the summer of 2001 the study added E. Coli Tests. The tests are for 7 streams that come into Van Wert County from Paulding County. There is a variety of E. Coli in nature. They are usually found in the intestines of healthy humans and animals. The presence of E. Coli and other bacteria within our intestines is necessary for us to develop and operate correctly, and for us to remain healthy. E. Coli along with other bacteria manufacture and provide us with many of the necessary vitamins such as Vitamin K and B complex's. Billions of these little bacteria are inside us making things our body needs to survive. However there is one bad character out of the bunch that gets a lot of attention, and it is E. Coli 0157:H7 and it produces toxins instead of vitamins. The tests that the study takes does not distinguish between the two, just total colonies of E. Coli.

Below is the chart that lists E. Coli sampling for Town Creek from 2002-2009.

Town Creek	March	June	September	December
2002	140	230	200	470
2003	110	200	17600	9400
2004	500	N/T	1000	2400
2005	16000	5600	1900	3200
2006	*	600	13300	2600
2007	15700	1700	100	5600
2008	5400	2080	282	250
2009	1120	1200	30	102
2010	250	N/T	138	N/T

Units are col/100ml

Below is the chart that lists E. Coli sampling for Maddox Creek from 2002-2009

Maddox Creek	March	June	September	December
2002	40	160	20	2010
2003	280	200	5000	1800
2004	300	N/T	1000	2000
2005	17000	400	4200	5900
2006	200	400	13900	3300
2007	6200	400	800	3560
2008	1700	1800	46	354
2009	346	220	72	1240
2010	36	384	460	N/T

Units are col/100ml

Below is the chart that lists E. Coli sampling for Hoaglin Creek from 2002-2009

Hoaglin Creek	March	June	September	December
2002	260	160	200	310
2003	200	*	5400	2000
2004	1300	N/T	1000	1000
2005	10000	2000	9400	8500
2006	*	200	42400	800
2007	2700	400	850	2400
2008	960	1440	102	352
2009	242	80	78	280
2010	186	154	492	N/T

Units are col/100ml

Below is the chart that lists the E. Coli sampling for Hagerman Creek from 2002-2009

Hagerman Creek	March	June	September	December
2002	110	530	3580	1240
2003	200	1600	4400	600
2004	500	N/T	1000	700
2005	9000	600	6000	7200
2006	400	20	39200	1500
2007	1700	400	1500	1840
2008	500	1520	48	334
2009	362	5440	N/T	2220
2010	164	250	3580	N/T

Units are col/100ml

Below is the chart that lists the E. Coli sampling for Upper Prairie Creek from 2002-2009

Upper Prairie Creek	March	June	September	December
2002	50	190	260	750
2003	300	*	2600	400
2004	1300	N/T	1000	700
2005	27000	3200	12400	3200
2006	400	600	8000	1300
2007	2200	400	1900	1660
2008	280	1680	N/T	198
2009	200	640	40	2460
2010	1620	118	48	N/T

Units are col/100ml

Below is the chart that lists the E. Coli sampling for Middle Creek from 2002-2009

Middle Creek	March	June	September	December
2002	40	160	200	130
2003	200	*	2200	800
2004	300	N/T	1000	700
2005	6000	3200	22800	5800
2006	200	500	20600	1200
2007	1600	500	1350	1300
2008	1240	1560	260	516
2009	282	300	126	700
2010	216	210	400	N/T

Units are col/100ml

Below is the chart that lists the E. Coli sampling for Blue Creek from 2002-2009

Blue Creek	March	June	September	December
2002	660	400	800	120
2003	200	400	3200	2200
2004	800	N/T	1000	300
2005	5000	4400	5600	2600
2006	200	200	19400	1100
2007	1500	1100	2000	4360
2008	660	1140	1380	28
2009	940	540	50	1260
2010	240	172	58	N/T

E. Coli Test Summary

As you can see not all streams act the same through the year. The only Environmental correlation we could come up with is that when we have extreme rains, E. Coli in every stream will go up.

Appendices

Chemical (Product Name)	MCL *	EPA/HAL** (ppb unless noted)		Detection Limit	Category / Use
		ppb unless noted	14 day 10kg child		
Nitrate + Nitrite (as N)	10.00 (ppm)	10.00 (ppm)	N/A	0.24 (ppm)	Fertilizer, essential for plant growth
Phosphorus (as Ortho P)	N/A	N/A	N/A	0.10 (ppm)	Fertilizer, essential for plant growth
Alachlor (Lasso)	2.00	100.00	N/A	0.50	Herbicide
Atrazine	3.00	100.00	200.00	0.50	Herbicide
Butylate (Sutan)	N/A	2000.00	4000.00	0.50	Herbicide
Carbofuran (Furadan)	40	50.00	200.00	0.50	Insecticide/nematocide
Clomazone (Command)	N/A	N/A	N/A	0.50	Herbicide
Cyanazine (Bladex)	N/A	100.00	70.00	0.50	Herbicide
Diazinon	N/A	20.00	20.00	0.10	Insecticide/nematocide
EPTC (Eradicane)	N/A	N/A	N/A	0.50	Herbicide
Ethalfuralin (Basalin)	N/A	N/A	N/A	0.50	Herbicide
Ethyl Chlorpyrifos/Chlorpyrifos (Lorsban)	N/A	30.00	100.00	0.10	Insecticide
Ethyl Parathion	N/A	N/A	N/A	0.10	Insecticide
Fluchloralin	N/A	N/A	N/A	0.50	Herbicide
Fonofos (Dyfonate)	N/A	20.00	70.00	0.10	Insecticide
Isofenphos (Amaze)	N/A	N/A	N/A	0.10	Insecticide
Malathion	N/A	200.00	800.00	0.10	Insecticide
Methyl Parathion	N/A	300.00	100.00	0.10	Insecticide
Metolachlor (Dual)	N/A	1000.00	3500.00	0.50	Herbicide
Metribuzin (Lexone-Sencore)	N/A	5000.00	500.00	0.50	Herbicide
Pebulate (Tillam)	N/A	N/A	N/A	0.50	Herbicide
Pendimethalin (Prowl)	N/A	2.00	N/A	0.50	Herbicide
Propachlor (Ramrod)	N/A	500.00	500.00	0.50	Herbicide
Prometon (Pramitol)	N/A	200.00	500.00	0.50	Herbicide
Propazine (Milogard)	N/A	1000.00	2000.00	0.50	Herbicide
Simazine (Princep)	4.00	70.00	70.00	0.50	Herbicide
Trifluralin (Treflan)	N/A	80.00	300.00	0.50	Herbicide
Terbufos (Counter)	N/A	5.00	5.00	0.10	Insecticide/nematocide
Vernolate (Vernam)	N/A	N/A	N/A	0.50	Herbicide

N/A = No MCL of HAL Established. *MCL = Maximum Contaminant Level- Maximum permissible level of a contaminant in water that is delivered to any user of a public water system.

**HAL's based on the concentration of a chemical in drinking water that is not expected to cause any adverse non carcinogenic effects with up to 14 consecutive days of exposure in a 10kg child, or up to ~7years (10% of lifetime) in a 70kg adult. Both values have a margin of safety.

Rainfall (inches) recorded prior to sampling

1990	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.40	0.00	0.01	0.28	0.17	0.65	0.00	0.00	0.00	0.00	0.20
48 Hours	0.00	0.00	0.00	0.10	0.00	1.10	0.46	0.00	0.00	0.00	0.00	1.09
72 Hours	0.00	0.16	0.00	0.23	0.00	0.00	0.00	0.00	0.00	T	0.00	0.00
96 Hours	0.00	T	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Totals	0.00	0.56	0.00	0.34	0.28	1.27	1.11	0.00	0.00	0.00	0.00	1.29

1991	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.00	0.15	0.18	0.23	0.13	1.16	0.08	0.08	0.00	T
48 Hours	0.12	0.00	0.12	0.00	0.00	T	0.00	0.00	0.00	0.04	0.00	0.00
72 Hours	0.00	0.00	0.00	0.00	T	0.00	0.00	0.00	0.00	0.15	0.27	0.03
96 Hours	0.00	0.00	T	0.00	T	0.12	0.72	0.00	0.00	0.32	0.00	0.30
Totals	0.12	0.00	0.12	0.15	0.18	0.35	0.85	1.16	0.08	0.59	0.27	0.33

1992	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	T	0.10	0.15	0.00	0.00	T	0.00	0.13	0.00	0.05	0.00
48 Hours	0.70	0.05	0.10	0.15	0.00	0.36	1.54	0.00	0.49	0.00	0.00	0.00
72 Hours	0.05	T	0.02	0.20	0.00	0.89	2.27	0.00	0.00	0.00	0.15	0.00
96 Hours	0.05	0.05	T	0.20	0.00	0.00	0.13	0.00	0.00	0.00	1.27	0.00
Totals	0.80	0.10	0.22	0.70	0.00	1.25	3.94	0.00	0.62	0.00	1.47	0.00

T = Trace of rain

1993	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.54	0.00	0.02	0.30	0.72	0.00	0.24	0.00	0.00	0.00
48 Hours	0.82	0.00	0.19	0.00	0.10	0.00	0.26	0.00	0.28	0.00	0.16	0.00
72 Hours	0.65	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.02
96 Hours	0.05	0.00	0.00	0.00	0.00	0.67	0.00	0.00	0.00	0.00	0.00	0.18
Totals	1.52	0.00	0.73	0.00	0.12	0.97	0.98	0.00	0.52	0.00	0.26	0.20

1994	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.24	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00
48 Hours	0.05	T	0.00	0.00	0.02	0.00	0.24	0.00	0.00	0.00	0.37	0.00
72 Hours	0.00	0.07	0.00	0.00	0.52	0.00	0.38	0.00	0.00	0.00	0.00	0.00
96 Hours	T	T	0.00	0.02	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00
Totals	0.29	0.07	0.00	0.02	0.54	0.00	0.64	0.00	0.00	0.00	0.50	0.00

1995	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.00	T	0.20	0.00	0.00	0.00	0.00	0.00	0.35	0.00
48 Hours	0.00	0.00	0.00	T	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
72 Hours	0.00	0.00	0.45	T	0.00	0.00	0.00	0.00	0.00	0.00	0.09	0.00
96 Hours	0.15	0.00	0.28	0.05	0.00	0.06	0.00	0.00	0.00	0.00	0.00	0.00
Totals	0.15	0.00	0.73	0.05	0.20	0.06	0.00	0.00	0.00	0.00	0.44	0.00

1996	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.00	0.00	0.67	0.25	0.00	1.24	0.00	0.00	0.00	0.20
48 Hours	0.00	0.00	0.08	0.00	0.39	0.35	0.00	0.37	0.00	0.00	0.59	0.33
72 Hours	0.00	0.00	0.19	0.00	0.00	T	0.00	0.35	0.00	0.80	0.00	0.00
96 Hours	0.00	0.07	0.00	0.30	T	0.25	0.00	0.00	0.00	0.31	0.00	0.00
Totals	0.00	0.07	0.27	0.30	1.06	0.85	0.00	1.96	0.00	1.11	0.59	0.53

1997	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.13	0.15	0.00	0.96	0.07	0.00	0.00	0.00	0.00	0.06
48 Hours	0.00	0.00	T	0.00	0.00	0.38	0.00	0.00	0.00	0.06	0.00	0.21
72 Hours	0.00	0.00	0.00	0.01	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.83
96 Hours	0.00	0.00	2.69	0.00	0.00	0.80	0.00	T	0.00	0.00	0.00	0.00
Totals	0.00	0.00	2.82	0.16	0.00	2.17	0.07	0.00	0.00	0.06	0.00	1.10

1998	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.28	0.00	0.00	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00
48 Hours	0.03	0.00	0.00	0.00	0.31	0.00	2.50	0.00	0.02	0.00	0.00	0.00
72 Hours	0.00	T	0.00	0.45	0.00	0.00	T	0.00	0.00	0.00	0.29	0.00
96 Hours	0.02	0.00	0.00	0.03	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.70
Totals	0.33	0.00	0.00	0.48	0.51	0.00	2.50	0.00	0.02	0.00	0.29	0.70

1999	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.04	0.05	0.18	0.00	0.00	1.04	0.00	0.00	T	0.80	0.00	0.00
48 Hours	0.00	0.00	0.00	0.00	0.36	0.40	0.10	0.04	T	0.57	0.00	0.00
72 Hours	0.23	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00
96 Hours	0.00	0.00	0.00	0.00	0.00	0.00	0.10	0.25	0.00	0.00	0.00	0.03
Totals	0.00	0.05	0.18	0.00	0.36	1.44	0.48	0.29	0.00	1.37	0.00	0.03

2000	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.00	0.00	0.00	0.10
48 Hours	0.00	0.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
72 Hours	0.00	0.00	0.00	0.13	0.00	0.42	0.27	0.00	0.00	0.00	0.00	0.00
96 Hours	0.00	0.00	0.00	0.00	0.00	0.28	0.00	0.00	0.00	0.00	0.00	0.05
Totals	0.00	0.60	0.00	0.13	0.00	0.70	0.31	0.00	0.00	0.00	0.00	0.15

2001	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.02	0.00	0.00	0.09	0.00	0.00	0.13	0.00	0.00	0.00	0.00	0.00
48 Hours	0.00	0.07	0.00	0.00	0.00	0.04	0.00	0.03	0.00	0.00	0.00	0.00
72 Hours	0.02	0.40	0.00	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	0.00
96 Hours	0.17	0.07	0.48	0.02	0.00	0.04	0.00	0.00	0.02	0.00	0.00	0.00
Totals	0.21	0.54	0.48	0.11	0.00	0.08	0.13	0.06	0.02	0.00	0.00	0.00

2002	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.62	0.10	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.22
48 Hours	0.00	0.75	0.42	0.45	0.02	0.00	0.00	1.12	0.00	0.00	0.00	0.00
72 Hours	0.00	0.00	0.00	0.00	1.45	0.00	0.00	0.00	0.00	0.20	0.00	0.00
96 Hours	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.95	0.00	0.00
Totals	0.00	1.37	0.52	0.45	1.47	0.00	0.00	1.12	0.00	1.15	0.00	0.22

2003	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.00	0.00	0.00	0.72	0.04	0.00	0.00	0.00	0.00	0.00
48 Hours	0.00	0.00	0.00	0.00	0.38	0.00	0.52	0.00	0.17	0.01	0.00	0.00
72 Hours	0.00	0.09	0.00	0.72	0.00	0.00	0.00	0.00	0.00	0.00	0.12	0.50
96 Hours	0.00	0.00	0.00	0.00	0.00	0.00	0.78	0.50	0.00	1.49	0.02	0.00
Totals	0.00	0.09	0.00	0.72	0.38	0.72	1.34	0.50	0.17	1.50	0.14	0.50

2004	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.00	0.00	0.00	1.60	0.00	0.00	0.00	0.90	0.10	0.15
48 Hours	0.00	0.00	0.00	0.02	0.00	0.00	0.00	2.00	0.00	0.00	0.00	0.00
72 Hours	0.00	0.08	0.00	0.00	0.00	0.00	0.04	0.02	0.02	0.00	0.00	0.42
96 Hours	0.00	0.00	0.00	0.00	0.03	0.00	0.00	0.00	1.50	0.00	0.50	0.00
Totals	0.00	0.08	0.00	0.02	0.03	1.60	0.04	2.02	1.52	0.90	0.60	0.57

2005	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.05	0.00	0.04	0.10	0.15	0.88	0.00	1.80	0.00	0.00	0.00
48 Hours	0.00	0.00	0.00	0.00	0.00	0.00	0.22	0.00	0.00	0.41	0.00	1.20
72 Hours	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
96 Hours	0.00	0.00	0.00	0.00	0.31	0.15	0.00	0.05	0.00	0.00	0.00	0.00
Totals	0.00	0.05	0.00	0.04	0.41	0.30	1.10	0.05	1.80	0.41	0.00	1.20

2006	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.00	0.04	0.08	0.00	0.00	0.00	0.21	0.22	0.00	0.05
48 Hours	0.00	0.00	0.00	0.00	0.00	0.00	0.15	0.00	0.08	0.00	0.00	0.00
72 Hours	0.00	0.45	0.00	0.00	0.00	0.00	0.00	0.00	0.68	0.27	0.00	0.00
96 Hours	0.00	0.00	0.00	0.17	0.00	0.00	0.00	1.85	0.02	0.00	0.68	0.00
Totals	0.00	0.45	0.00	0.21	0.08	0.00	0.15	1.85	0.99	0.49	0.68	0.05

2007	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.00	0.00	0.00	0.24	0.00	0.00	0.00	0.00	0.00	0.90
48 Hours	1.10	0.00	0.00	0.55	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.30
72 Hours	0.00	1.50	0.47	0.00	0.20	0.00	0.00	0.00	0.00	0.00	0.00	0.00
96 Hours	0.00	0.00	0.00	0.00	0.00	0.00	0.56	0.00	0.00	0.00	0.00	0.00
Totals	1.10	1.50	0.47	0.55	0.20	0.24	0.56	0.00	0.00	0.00	0.00	1.20

2008	January	February	March	April	May	June	July	August	September	October	November	
24 Hours	0.00	0.14	0.00	0.00	0.00	0.00	0.02	0.00	0.00	0.00	0.00	0.00
48 Hours	1.10	0.02	0.00	0.55	0.45	1.92	0.14	0.00	0.00	0.00	0.00	0.00
72 Hours	0.00	0.06	1.40	0.00	0.00	0.00	0.07	0.00	0.00	0.00	0.00	0.00
96 Hours	0.00	0.00	0.00	0.00	0.00	0.00	0.13	0.00	0.00	0.09	0.00	0.00
Totals	1.10	0.22	1.40	0.55	0.45	1.92	0.36	0.00	0.00	0.09	0.00	0.00

2009	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.00	0.00	0.00	0.00	0.18	0.00	0.00	0.07	0.00	0.00	0.00	0.26
48 Hours	0.00	0.00	0.00	0.04	0.38	0.10	0.00	0.00	0.00	0.28	0.84	0.00
72 Hours	0.61	0.00	0.24	0.27	0.15	0.15	0.00	0.00	0.90	0.00	0.02	0.00
96 Hours	0.18	0.15	0.00	0.00	0.00	0.00	0.00	0.04	0.00	0.02	0.04	0.16
Totals	0.79	0.15	0.24	0.31	0.71	0.25	0.00	0.11	0.90	0.30	0.90	0.42

2010	January	February	March	April	May	June	July	August	September	October	November	December
24 Hours	0.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.42
48 Hours	0.00	0.00	0.35	0.00	0.00	0.00	0.00	0.77	0.00	0.00	0.00	0.00
72 Hours	0.01	0.00	0.00	0.60	0.00	0.00	0.90	0.00	0.00	0.75	0.00	0.00
96 Hours	0.00	0.08	0.00	0.59	0.00	1.50	0.00	0.00	0.00	0.00	0.00	0.00
Totals	0.03	0.08	0.35	1.19	0.00	1.50	0.90	0.77	0.00	0.75	0.00	0.42

	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	Avg.
January	3.82	1.81	1.89	2.75	1.98	2.97	2.70	2.29	1.71	3.82	1.65	0.65	1.63	1.45	2.54	6.01	2.53	8.47	1.87	3.4	0.98	2.71
February	6.40	0.94	1.20	1.60	0.70	0.75	0.36	3.70	1.53	1.94	1.45	2.18	2.51	2.42	0.41	1.07	2.24	0.8	3.57	2.95	1.85	1.93
March	1.87	2.38	2.24	1.34	0.72	1.86	1.97	2.50	3.15	1.26	1.53	0.61	3.42	1.76	1.95	1.14	1.22	3.67	4.51	3.49	2.87	2.16
April	1.89	3.87	4.09	5.21	4.43	4.70	4.37	0.78	5.03	5.11	1.51	3.43	3.71	2.07	0.64	3.26	2.62	4.36	3.41	5.56	3.52	3.50
May	5.28	3.94	2.53	3.04	1.77	4.24	5.21	4.58	3.23	2.13	4.98	5.78	5.56	8.18	5.69	1.31	4.2	1.18	5.1	3.15	6.27	4.16
June	3.47	0.12	2.09	8.68	5.27	4.95	4.65	3.79	7.56	3.64	9.23	2.61	2.4	4.55	5.54	2.91	2.81	0.85	6.66	3.14	6.78	4.37
July	8.95	2.87	6.79	5.65	4.39	2.19	8.30	8.33	4.28	3.19	1.86	3.65	3.03	8.81	9.45	3.04	5.95	1.14	3.33	2.24	1.96	4.73
August	5.21	3.89	2.22	1.25	2.31	3.50	1.77	3.01	4.31	2.71	3.04	1.71	2.23	6.51	5.85	3.21	2.79	11.86	2.31	3.08	2.25	3.57
September	3.28	1.66	1.66	4.11	0.62	0.43	2.42	5.53	0.80	1.59	5.32	6.29	2.77	4.79	2.31	5.06	2.46	2.75	2.35	1.58	1.49	2.82
October	3.37	2.21	2.61	1.82	0.80	4.08	2.40	1.61	2.70	2.08	2.3	7.79	1.45	1.73	3.25	1.28	5.19	2.67	3.26	6.36	2.13	2.91
November	2.31	1.05	5.51	4.13	3.56	2.63	5.56	2.74	1.89	1.25	1.9	7.76	2.91	2.99	3.66	3.19	1.65	3.85	2.44	1.37	4.35	3.18
December	7.10	1.10	1.33	1.56	2.59	1.10	0.00	1.73	0.93	2.51	3.2	0.37	2.198	2.86	2.16	2.99	4.71	4.41	3.54	2.77	1.11	2.39
total for year	52.95	25.84	34.16	41.14	29.14	33.40	39.71	40.59	37.12	31.23	37.97	42.83	33.82	48.12	43.45	34.47	38.37	46.01	42.35	39.09	35.56	38.59

Rainfall (inches) recorded from 1990- 2009

Town Creek Nutrient Data

		Nitrogen (ppm)*					Phosphorus (ppm)**				
		TC-1	TC-2	TC-3	TC-4	AVG.	TC-1	TC-2	TC-3	TC-4	AVG.
1989	June	70.90	78.00	N/S	N/S	74.45	N/S	N/S	N/S	N/S	N/S
	July	*	7.10	2.80	32.10	10.50	*	*	0.30	N/S	0.10
	August	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
	September	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
	October	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S	N/S
	November	8.90	10.60	4.30	N/S	7.93	N/S	N/S	N/S	N/S	N/S
	December	22.00	*	*	N/S	7.33	0.40	0.20	1.40	N/S	0.67
1990	January	N/S	7.00	3.80	4.40	5.07	N/S	0.20	0.60	0.30	0.37
	February	N/S	50.00	33.00	28.00	37.00	N/S	*	0.30	0.30	0.20
	March	N/S	9.60	7.60	8.60	8.60	N/S	*	0.20	0.20	0.13
	April	N/S	15.60	14.20	13.80	14.53	N/S	0.30	0.50	0.40	0.40
	May	N/S	7.50	2.90	4.10	4.83	N/S	0.10	0.20	0.10	0.13
	June	13.00	17.00	15.00	13.00	14.50	0.20	0.30	0.40	0.40	0.33
	July	N/S	5.30	1.90	5.50	4.23	N/S	0.10	0.30	0.20	0.20
	August	N/S	1.00	8.00	7.00	5.33	N/S	*	0.39	*	0.13
	September	N/S	0.50	5.50	2.70	2.90	N/S	*	0.60	0.23	0.28
	October	N/S	1.30	11.00	4.40	5.57	N/S	0.30	2.10	1.10	1.17
	November	4.30	3.90	5.00	6.00	4.80	0.50	*	0.50	*	0.17
December	N/S	0.20	0.10	0.70	0.33	N/S	6.60	2.40	7.40	5.47	
1991	January	N/S	3.40	6.00	6.20	5.20	N/S	*	0.20	0.20	0.13
	February	N/S	5.60	4.90	5.20	5.23	N/S	0.10	0.20	0.10	0.13
	March	N/S	5.10	4.80	4.70	4.87	N/S	*	0.20	*	0.07
	April	N/S	5.40	21.00	24.00	16.80	N/S	*	*	*	*
	May	N/S	3.80	4.30	4.90	4.33	N/S	*	0.10	0.20	0.10
	June	7.20	8.60	6.40	8.20	7.60	*	*	0.00	0.25	0.06
	July	N/S	3.90	7.00	1.50	4.13	N/S	0.00	0.00	1.00	0.33
	August	N/S	0.10	2.90	2.90	1.97	N/S	*	*	1.00	0.33
	September	N/S	*	6.00	2.20	2.73	N/S	*	*	*	*
	October	N/S	0.50	9.80	0.50	3.60	N/S	*	*	*	*
	November	7.90	8.80	7.90	7.20	7.95	*	*	0.10	*	0.03
	December	N/S	8.50	3.30	3.00	4.93	N/S	0.10	*	0.10	0.07
1992	January	N/S	12.00	7.40	10.00	9.80	N/S	0.10	0.30	0.20	0.20
	February	N/S	9.90	7.40	8.30	8.53	N/S	*	*	*	*
	March	N/S	7.50	5.20	7.00	6.57	N/S	*	*	*	*
	April	N/S	7.50	5.00	7.00	6.50	N/S	*	0.20	*	0.07
	May	N/S	4.80	1.80	6.30	4.30	N/S	0.30	*	0.20	0.17
	June	12.00	14.50	15.00	15.00	14.13	*	*	0.10	0.20	0.08
	July	N/S	6.50	7.00	7.00	6.83	N/S	0.30	0.10	0.10	0.17
	August	N/S	2.70	3.40	4.30	3.47	N/S	*	*	*	*
	September	N/S	2.00	2.60	1.10	1.90	N/S	0.20	0.10	0.10	0.13
	October	N/S	2.80	3.50	3.30	3.20	N/S	*	*	*	*
	November	4.80	4.90	4.30	6.00	5.00	0.40	0.30	0.20	0.30	0.30
	December	N/S	4.40	4.60	4.80	4.60	N/S	*	0.10	*	0.03

Town Creek Nutrient Data

		Nitrogen (ppm)*					Phosphorus (ppm)**				
		TC-1	TC-2	TC-3	TC-4	AVG.	TC-1	TC-2	TC-3	TC-4	AVG.
1993	January	N/S	4.10	3.80	4.20	4.03	N/S	0.20	0.20	0.20	0.20
	February	N/S	4.40	4.50	4.50	4.47	N/S	*	*	*	*
	March	N/S	4.90	4.20	4.70	4.60	N/S	*	0.10	*	0.03
	April	N/S	4.10	3.00	3.80	3.63	N/S	*	*	*	*
	May	N/S	3.40	3.90	3.80	3.70	N/S	*	*	*	*
	June	4.30	5.70	6.10	8.20	6.08	*	*	*	*	*
	July	N/S	16.00	13.00	8.80	12.60	N/S	0.21	0.19	0.15	0.18
	August	N/S	1.50	6.30	*	2.60	N/S	*	*	*	*
	September	N/S	*	3.40	3.60	2.33	N/S	*	*	*	*
	October	N/S	2.00	2.40	6.00	3.47	N/S	0.10	*	*	0.03
	November	*	*	4.80	5.80	2.65	*	*	*	*	*
	December	N/S	5.20	5.00	5.70	5.30	N/S	*	*	*	*
1994	January	N/S	3.60	5.51	4.38	4.50	N/S	0.10	0.10	0.14	0.11
	February	N/S	2.20	3.20	3.90	3.10	N/S	*	*	*	*
	March	N/S	3.80	3.40	3.80	3.67	N/S	*	*	0.20	0.07
	April	N/S	3.30	4.60	3.70	3.87	N/S	*	*	*	*
	May	N/S	4.10	4.70	4.60	4.47	N/S	*	*	*	*
	June	1.90	2.30	6.80	1.90	3.23	*	*	*	*	*
	July	N/S	11.70	8.50	11.60	10.60	N/S	0.18	*	*	0.06
	August	N/S	*	8.40	1.60	3.33	N/S	*	0.10	*	0.03
	September	N/S	*	9.80	4.40	4.73	N/S	*	0.11	*	0.04
	October	N/S	*	10.70	3.20	4.63	N/S	*	*	*	*
	November	0.70	*	5.20	6.60	2.95	0.21	*	*	0.26	0.12
	December	N/S	0.89	6.10	5.80	4.26	N/S	*	*	*	*
1995	January	N/S	5.60	4.90	5.90	5.47	N/S	0.67	0.94	0.76	0.79
	February	N/S	7.80	6.80	7.00	7.20	N/S	0.40	0.40	0.40	0.40
	March	N/S	10.20	7.40	8.30	8.63	N/S	0.42	0.57	0.51	0.50
	April	N/S	5.80	5.10	4.70	5.20	N/S	*	*	*	*
	May	N/S	6.50	4.80	5.60	5.63	N/S	0.10	0.10	0.40	0.20
	June	9.90	10.10	8.60	9.20	9.45	*	*	*	*	*
	July	N/S	8.60	8.50	7.30	8.13	N/S	*	*	*	*
	August	N/S	1.40	3.00	2.90	2.43	N/S	*	0.12	*	0.04
	September	N/S	0.39	8.20	4.20	4.26	N/S	0.20	0.20	0.20	0.20
	October	N/S	1.70	1.40	3.40	2.17	N/S	*	*	*	*
	November	0.94	1.60	5.00	5.20	3.19	0.90	0.90	2.20	2.20	1.55
	December	N/S	5.30	8.60	7.80	7.23	N/S	*	7.30	*	2.43

Town Creek Nutrient Data

		Nitrogen (ppm)					Phosphorus (ppm)**				
		TC-1	TC-2	TC-3	TC-4	AVG.	TC-1	TC-2	TC-3	TC-4	AVG.
1996	January	N/S	1.90	5.70	5.70	4.43	N/S	0.10	*	0.27	0.12
	February	N/S	8.90	8.00	6.90	7.93	N/S	*	*	*	*
	March	N/S	11.60	10.80	12.10	11.50	N/S	0.19	0.23	0.18	0.20
	April	N/S	9.80	7.40	9.20	8.80	N/S	0.12	0.54	0.30	0.32
	May	N/S	14.10	11.70	14.20	13.33	N/S	*	0.10	0.12	0.07
	June	8.70	9.14	7.10	7.70	8.16	*	*	0.16	*	0.04
	July	N/S	6.00	7.60	7.60	7.07	N/S	0.60	0.40	*	0.33
	August	N/S	8.20	7.40	7.50	7.70	N/S	*	0.13	*	0.04
	September	N/S	0.84	17.50	2.60	6.98	N/S	*	0.50	*	0.17
	October	N/S	0.69	6.80	2.00	3.16	N/S	*	0.21	0.16	0.12
	November	1.00	2.20	2.80	3.30	2.33	*	0.20	0.20	0.17	0.14
	December	N/S	8.40	6.80	7.20	7.47	N/S	0.12	0.14	0.14	0.13
1997	January	N/S	6.10	4.30	5.50	5.30	N/S	*	*	*	*
	February	N/S	3.20	3.00	3.20	3.13	N/S	0.12	*	0.14	0.09
	March	N/S	6.80	6.10	6.40	6.43	N/S	*	*	*	*
	April	N/S	5.60	5.30	6.60	5.83	N/S	*	*	*	*
	May	N/S	4.40	5.40	4.90	4.90	N/S	*	0.20	*	0.07
	June	N/S	5.90	5.80	5.40	5.70	N/S	0.12	0.10	0.10	0.11
	July	N/S	13.60	9.40	8.00	10.33	N/S	*	*	*	*
	August	N/S	0.77	6.00	1.50	2.76	N/S	*	0.22	*	0.07
	September	N/S	*	*	1.30	0.43	N/S	*	*	*	*
	October	N/S	3.10	7.90	0.71	3.90	N/S	0.18	0.33	0.11	0.21
	November	N/S	2.50	7.20	4.50	4.73	N/S	0.15	0.60	*	0.25
	December	N/S	10.30	7.50	7.10	8.30	N/S	0.18	0.19	0.18	0.18
1998	January	N/S	7.90	5.50	4.90	6.10	N/S	0.18	0.31	0.29	0.26
	February	N/S	7.10	6.80	6.00	6.63	N/S	*	0.15	0.15	0.10
	March	N/S	7.30	5.80	5.50	6.20	N/S	*	0.15	*	0.05
	April	N/S	6.90	4.70	5.30	5.63	N/S	*	*	*	*
	May	N/S	6.20	4.90	3.30	4.80	N/S	*	0.28	*	0.09
	June	7.30	10.30	14.00	6.30	9.48	0.12	*	*	0.19	0.08
	July	N/S	9.90	6.00	6.30	7.40	N/S	0.17	0.23	0.23	0.21
	August	N/S	1.70	6.80	2.40	3.63	N/S	0.20	0.40	*	0.20
	September	N/S	0.32	10.20	2.60	4.37	N/S	*	0.10	*	0.03
	October	N/S	*	9.84	4.10	4.65	N/S	*	0.40	0.10	0.17
	November	0.41	1.10	10.10	6.20	4.45	0.40	0.30	0.30	0.20	0.27
	December	N/S	8.40	5.30	2.00	5.23	N/S	*	*	*	*

Town Creek Nutrient Data

		Nitrogen (ppm) ⁺					Phosphorus (ppm) ⁺⁺				
		TC-1	TC-2	TC-3	TC-4	AVG.	TC-1	TC-2	TC-3	TC-4	AVG.
1999	January	N/S	4.50	1.60	2.10	2.73	N/S	*	0.10	0.30	0.13
	February	N/S	7.20	5.40	5.80	6.13	N/S	*	*	*	*
	March	N/S	5.80	5.30	5.30	5.47	N/S	0.10	0.20	*	0.10
	April	N/S	3.70	2.40	2.20	2.77	N/S	*	0.30	0.10	0.13
	May	N/S	8.70	6.20	7.40	7.43	N/S	*	0.20	0.30	0.17
	June	15.00	16.00	13.90	17.00	15.48	0.20	0.30	0.20	0.10	0.20
	July	N/S	0.31	8.00	1.90	3.40	N/S	*	0.10	*	0.03
	August	N/S	1.20	4.40	0.42	2.01	N/S	*	*	*	*
	September	N/S	*	8.70	0.69	3.13	N/S	*	0.20	0.10	0.10
	October	N/S	*	3.50	1.40	1.63	N/S	0.50	0.60	0.70	0.60
	November	0.45	*	10.10	6.30	4.21	0.10	0.10	0.30	0.30	0.20
	December	N/S	0.25	8.82	2.34	3.80	N/S	*	0.13	0.17	0.10
2000	January	N/S	0.65	9.70	4.60	4.98	N/S	0.11	0.14	0.10	0.12
	February	N/S	1.90	8.80	6.30	5.67	N/S	0.11	0.20	0.17	0.16
	March	N/S	13.40	6.00	9.60	9.67	N/S	0.10	0.28	0.11	0.16
	April	N/S	11.40	8.00	9.90	9.77	N/S	0.66	*	*	0.22
	May	N/S	11.60	9.40	9.50	10.17	N/S	*	0.43	0.14	0.19
	June	13.50	20.00	12.80	16.20	15.63	0.26	0.40	0.40	0.33	0.35
	July	N/S	*	11.40	9.80	10.60	N/S	*	0.38	*	0.13
	August	N/S	0.37	9.80	2.40	4.19	N/S	0.13	0.53	0.34	0.33
	September	N/S	0.53	6.11	1.53	2.72	N/S	0.20	0.44	0.28	0.31
	October	N/S	*	8.82	4.20	4.34	N/S	*	*	*	0.00
	November	*	1.05	10.70	3.61	3.58	*	0.10	0.10	0.19	0.10
	December	N/S	7.80	9.00	6.60	7.80	N/S	2.50	0.68	1.70	1.63
2001	January	N/S	9.00	8.50	8.10	8.53	N/S	0.22	*	2.40	0.87
	February	N/S	9.44	6.24	6.34	7.34	N/S	0.11	0.19	0.16	0.15
	March	N/S	12.12	9.66	9.23	10.34	N/S	*	*	*	0.00
	April	N/S	2.07	2.64	1.82	2.18	N/S	*	*	*	0.00
	May	N/S	13.84	8.94	9.68	10.82	N/S	*	0.61	0.27	0.29
	June	13.13	13.11	10.74	10.78	11.94	*	0.16	0.21	0.10	0.12
	July	N/S	3.81	7.36	2.29	4.49	N/S	0.11	0.23	0.25	0.20
	August	N/S	*	6.90	0.00	3.45	N/S	*	0.34	0.30	0.21
	September	N/S	*	11.60	0.00	5.80	N/S	*	0.21	0.25	0.15
	October	N/S	12.32	42.00	19.70	20.57	N/S	0.11	0.28	0.18	0.19
	November	*	7.98	7.22	6.39	3.40	*	*	0.18	0.11	0.07
	December	N/S	9.22	8.06	7.69	8.32	N/S	*	0.11	0.12	0.08

Town Creek Nutrient Data

		Nitrogen (ppm)*					Phosphorus (ppm)**				
		TC-1	TC-2	TC-3	TC-4	AVG.	TC-1	TC-2	TC-3	TC-4	AVG.
2002	January	N/S	9.49	10.01	4.60	8.03	N/S	0.11	0.14	0.10	0.12
	February	N/S	7.76	7.82	6.30	7.29	N/S	0.11	0.20	0.17	0.16
	March	N/S	9.13	6.71	9.60	8.48	N/S	0.10	0.28	0.11	0.16
	April	N/S	9.00	7.64	9.90	8.85	N/S	0.66	*	*	0.22
	May	N/S	11.40	9.27	9.50	10.06	N/S	*	0.43	0.14	0.19
	June	7.42	8.34	7.57	16.20	9.88	0.26	0.40	0.40	0.33	0.35
	July	N/S	2.84	6.37	9.80	6.34	N/S	*	0.38	*	0.13
	August	N/S	*	5.17	2.40	3.79	N/S	0.13	0.53	0.34	0.33
	September	N/S	2.01	8.89	1.53	4.14	N/S	0.20	0.44	0.28	0.31
	October	N/S	1.43	7.80	4.20	4.00	N/S	*	*	*	0.00
	November	0.22	3.25	10.93	3.61	3.64	*	0.10	0.10	0.19	0.10
	December	N/S	16.15	11.54	6.60	11.43	N/S	2.50	0.68	1.70	1.63
2003	January	N/S	20.50	17.61	12.01	16.71	N/S	0.25	0.39	0.38	0.34
	February	N/S	10.40	4.72	4.82	6.65	N/S	*	0.17	*	0.06
	March	N/S	5.82	4.16	3.67	4.55	N/S	0.25	0.24	0.21	0.23
	April	N/S	15.42	11.96	12.52	13.30	N/S	0.11	0.16	0.11	0.13
	May	N/S	6.31	3.66	4.94	4.97	N/S	*	0.13	*	0.04
	June	4.82	7.03	7.59	4.42	5.97	0.11	*	0.17	0.10	0.10
	July	N/S	18.02	12.12	6.61	12.25	N/S	0.18	0.13	0.13	0.15
	August	N/S	6.15	5.04	3.79	4.99	N/S	*	0.29	*	0.10
	September	N/S	2.41	2.03	2.54	2.33	N/S	0.41	0.40	0.43	0.41
	October	N/S	5.85	5.05	4.49	3.18	N/S	0.11	0.17	0.15	0.14
	November	3.19	2.86	5.66	3.07	2.18	*	*	0.14	0.10	0.06
	December	N/S	5.45	4.75	4.68	4.96	N/S	0.21	0.16	0.12	0.16
2004	January	N/S	6.74	6.31	5.22	6.09	N/S	0.41	0.28	0.30	0.33
	February	N/S	6.28	10.57	8.03	8.29	N/S	0.10	0.00	0.00	0.03
	March	N/S	5.89	4.76	5.62	5.42	N/S	0.12	0.15	0.16	0.14
	April	N/S	6.22	5.88	5.19	5.76	N/S	0.00	0.15	*	0.05
	May	N/S	1.80	5.46	2.04	3.10	N/S	0.14	0.35	0.15	0.21
	June	12.72	14.86	14.61	12.63	13.71	0.39	0.37	0.55	0.24	0.39
	July	N/S	3.56	6.35	3.01	4.31	N/S	0.10	0.20	0.11	0.14
	August	N/S	1.85	2.12	2.02	2.00	N/S	0.26	0.24	0.48	0.33
	September	N/S	2.19	2.14	1.60	1.98	N/S	0.18	0.23	0.63	0.35
	October	N/S	1.23	4.22	4.24	2.82	N/S	0.14	0.31	0.24	0.23
	November	4.50	4.15	4.95	4.28	2.31	0.11	0.00	0.20	0.14	0.09
	December	N/S	5.96	4.98	4.49	5.14	N/S	0.35	0.36	0.31	0.34

Town Creek Nutrient Data

		Nitrogen (ppm) ⁺					Phosphorus (ppm) ⁺⁺				
		TC-1	TC-2	TC-3	TC-4	AVG.	TC-1	TC-2	TC-3	TC-4	AVG.
2005	January	N/S	5.70	4.10	4.73	4.84	N/S	0.39	0.29	0.31	0.33
	February	N/S	3.85	3.42	3.34	3.54	N/S	0.22	0.28	0.28	0.26
	March	N/S	4.28	4.58	4.11	4.32	N/S	0.26	0.21	0.24	0.24
	April	N/S	3.06	3.48	2.12	2.89	N/S	*	*	*	0.00
	May	N/S	5.45	5.08	4.47	5.00	N/S	*	*	*	0.00
	June	1.51	1.58	5.97	1.74	2.70	0.10	*	0.22	0.17	0.12
	July	N/S	10.54	3.53	2.76	5.61	N/S	0.12	0.23	0.24	0.20
	August	N/S	0.00	10.10	0.00	3.37	N/S	0.21	0.37	0.16	0.25
	September	N/S	0.00	3.03	2.38	1.80	N/S	0.22	0.20	0.22	0.21
	October	N/S	9.96	4.88	5.72	3.53	N/S	0.34	0.25	0.19	0.26
	November	6.31	14.59	6.99	3.49	2.62	0.10	0.23	0.14	*	0.09
	December	N/S	9.54	8.90	7.17	8.54	N/S	*	*	*	0.00
2006	January	N/S	7.56	5.98	6.28	6.61	N/S	0.41	0.38	0.37	0.39
	February	N/S	9.45	7.70	6.69	7.95	N/S	*	0.19	0.18	0.12
	March	N/S	6.42	8.42	6.29	7.04	N/S	0.15	0.24	0.62	0.34
	April	N/S	4.51	4.65	5.97	5.04	N/S	1.26	1.32	1.12	1.23
	May	N/S	4.62	5.21	6.13	5.32	N/S	0.18	*	0.27	0.15
	June	7.29	8.49	8.02	6.58	7.60	*	0.10	0.28	0.16	0.14
	July	N/S	0.80	3.95	4.36	3.04	N/S	*	0.44	0.45	0.30
	August	N/S	*	7.03	1.15	4.09	N/S	0.12	0.38	0.23	0.24
	September	N/S	0.14	5.34	2.36	2.61	N/S	0.13	0.21	0.22	0.19
	October	N/S	*	4.10	4.39	2.83	N/S	*	0.38	0.35	0.24
	November	5.26	8.44	7.14	6.88	3.51	0.10	0.13	0.20	0.14	0.12
	December	N/S	6.73	5.56	5.63	5.97	N/S	0.25	0.25	0.23	0.24
2007	January	N/S	5.46	4.56	4.34	4.79	N/S	0.50	0.49	0.54	0.51
	February	N/S	6.08	7.23	6.07	6.46	N/S	0.00	0.16	0.18	0.11
	March	N/S	1.98	2.24	2.22	2.15	N/S	0.26	0.24	0.24	0.25
	April	N/S	7.34	5.80	6.00	6.38	N/S	0.24	0.32	0.28	0.28
	May	N/S	6.71	5.69	5.02	5.81	N/S	0.00	0.11	0.11	0.07
	June	0.76	0.32	7.62	1.85	2.64	0.00	0.12	0.13	0.00	0.06
	July	N/S	0.00	9.81	0.22	3.34	N/S	0.20	0.20	0.55	0.32
	August	N/S	0.00	12.56	1.13	4.56	N/S	0.14	0.20	0.18	0.17
	September	N/S	1.39	13.25	2.48	5.71	N/S	0.15	0.24	0.21	0.20
	October	N/S	0.70	9.70	1.20	3.63	N/S	0.00	0.14	0.00	0.05
	November	4.49	5.45	10.72	6.67	4.35	0.11	0.00	0.15	0.00	0.04
	December	N/S	8.78	7.81	6.27	7.62	N/S	5.80	0.67	0.58	2.35

		Nitrogen (ppm)*					Phosphorus (ppm)**				
		TC-1	TC-2	TC-3	TC-4	AVG.	TC-1	TC-2	TC-3	TC-4	AVG.
2008	January	N/S	6.88	4.54	4.18	5.20	N/S	0.10	0.17	0.15	0.14
	February	N/S	5.36	7.01	6.99	6.45	N/S	0.00	0.27	0.13	0.13
	March	N/S	2.44	2.13	2.61	2.39	N/S	0.39	0.40	0.41	0.40
	April	N/S	5.73	4.80	4.25	4.93	N/S	0.14	0.17	0.16	0.16
	May	N/S	3.32	4.31	3.27	3.63	N/S	0.00	0.45	0.00	0.15
	June	9.47	13.30	9.10	11.20	10.77	0.18	0.00	0.16	0.16	0.13
	July	N/S	7.87	7.31	6.82	7.33	N/S	0.14	0.22	0.24	0.20
	August	N/S	0.00	10.20	2.99	4.40	N/S	0.11	0.19	1.82	0.71
	September	N/S	0.00	13.30	5.23	6.18	N/S	0.14	0.16	0.14	0.15
	October	N/S	0.00	11.50	5.52	5.67	N/S	0.11	0.19	0.00	0.10
	November	0.00	0.00	6.93	4.80	2.93	0.00	0.18	0.00	0.58	0.19
	December	N/S	14.90	9.06	6.48	10.15	N/S	0.14	0.15	1.60	0.63
2009	January	N/S	8.83	6.58	6.79	7.40	N/S	0.18	0.20	0.19	0.19
	February	N/S	3.59	7.77	6.27	5.88	N/S	0.10	0.46	0.33	0.30
	March	N/S	9.01	7.06	6.60	7.56	N/S	0.12	0.16	0.15	0.14
	April	N/S	3.73	6.28	3.68	4.56	N/S	0.00	0.20	0.00	0.07
	May	N/S	8.70	7.16	6.78	7.55	N/S	0.27	0.21	0.26	0.25
	June	2.89	3.02	6.55	2.69	3.79	0.10	0.00	0.24	0.30	0.16
	July	N/S	6.54	6.63	0.05	4.41	N/S	0.10	0.30	0.15	0.18
	August	N/S	0.05	7.26	0.22	2.51	N/S	0.15	0.24	0.31	0.23
	September	N/S	0.21	8.09	2.44	3.58	N/S	0.10	0.15	0.10	0.12
	October	N/S	0.05	9.87	3.04	4.30	N/S	0.94	0.45	1.22	0.87
	November	11.10	3.78	4.28	3.07	1.84	0.36	0.21	0.25	3.07	0.88
	December	N/S	0.20	3.41	2.83	2.15	N/S	0.10	0.50	0.26	0.29
2010	January	N/S	6.37	8.76	7.27	7.47	N/S	*	0.32	0.18	0.25
	February	N/S	9.40	9.52	8.37	9.10	N/S	*	0.36	0.28	0.32
	March	N/S	8.62	5.28	7.51	7.14	N/S	*	0.14	0.11	0.13
	April	N/S	8.12	6.58	7.02	7.24	N/S	*	0.14	0.14	0.14
	May	N/S	11.00	9.56	9.19	9.92	N/S	*	0.15	0.12	0.14
	June	6.67	6.55	6.98	5.81	6.50	0.41	0.57	0.55	0.40	0.48
	July	N/S	5.59	6.66	3.84	5.36	N/S	0.25	0.24	0.12	0.20
	August	N/S	7.31	6.79	*	7.05	N/S	0.11	0.47	0.33	0.30
	September	N/S	*	9.52	3.87	6.70	N/S	0.16	0.54	0.50	0.40
	October	N/S	*	6.02	2.33	4.18	N/S	0.60	0.31	0.58	0.50
	November	*	*	9.95	4.31	7.13	0.51	0.24	0.41	1.80	0.74
	December	N/S	9.91	5.23	9.92	8.35	N/S	0.38	0.26	0.24	0.29